


WS-Wood Wall panels

W Wallsystems
by Glimakra of Sweden



WS-Wood Wall panels

With a large selection of real wood veneers to choose from, it's easy to find a WS-Wood that fits. Several surface treatments make the selection even wider, and in addition to our standard range, we can produce the exact look you are looking for. In addition to this, there is also the option of acoustic perforation, fire-rated core and much more. WS-Wood is installed quickly and smoothly with our profile system which, in addition to providing a hidden installation, can also be installed with both an open and closed joint.

WS-WOOD WALL PANELS

Ribbon-Wood Barcode is part of the Wallsystems by Glimakra of Sweden product portfolio. We are a Swedish company with value-driving factors such as Scandinavian acoustic design, greater flexibility and higher quality. Along with these, we create favorable sound landscapes for different types of environments. With broad knowledge and long experience, we develop and manufacture products in our own factories in Glimåkra and Tranås. We are the largest in Sweden in wood veneer and through an ongoing collaboration with several prominent designers, we are always at the forefront when it comes to acoustic design.

TECHNICAL INFORMATION

Surface layer	0.6mm veneer
Sheet material	12 mm MDF
Edge molding	ABS
Surface treatment	Water-based varnish
Surface special	Large selection, contact customer support
Thickness	13 mm
Standard dimensions stock	2400x600mm, 2960x600mm
Standard dimensions not in stock	2400x1200mm, 2960x1200mm
Other measurements	On request
Installation system	Hidden profile system
Manufacturing location	Tranås

SUSTAINABILITY

WS-Wood only uses wood for veneer from sustainably managed forests.

FIRE PROPERTIES

Standard range:	D-class
FR (FR = Fireclass)	Bs1-d0 or Bs2-d0

STANDARD RANGE



Diamond Ash



Diamond Oak



Rustic Natural Oak



Diamond Walnut



Rustic Smoked Oak



Rustic Antique Oak



Rustic Grey Oak



Black Diamond Ash

WS-Wood Wall panels

