

Ribbon-Design



Ribbon-Design



Ribbon-Design is an acoustic panel consisting of ribs with high-pressure laminate pressed on an MDF that sits on an acoustic blanket, Recosilent. A large selection of high-pressure laminate from our own production, as well as several options among different surfaces, together with black and light gray Recosilent, means that the options are many for you to find a rib panel that suits you. In addition to our standard range, we can also solve most things in terms of high-pressure laminate, size, surfaces or other adaptations you may be interested in.

RIBBON-DESIGN

Ribbon-Design is part of the product portfolio Wallsystems by Glimakra of Sweden. We are a Swedish company with value-driving factors such as Scandinavian acoustic design, greater flexibility and higher quality. Based on these, we create favorable sound landscapes for different types of environments. With broad knowledge and long experience, we develop and manufacture products in our own factories in Glimåkra and Tranås. We are the largest in Sweden for wood veneer / high-pressure laminate and through an ongoing collaboration with several prominent designers, we are always at the forefront when it comes to acoustic design.

RIBBON-DESIGN

Surface layer	High pressure laminate
Sheet material	12 mm through-dyed MDF in black and light gray
Acoustic Felt	RecoSilent 9mm recycled PET
Thickness	22 mm
Sizes	2400x600mm. Can be cut for extra
Mounting	Screw (15pcs / panel) or glued (0.5pcs / panel) easily in place
Manufacturing	Tranås and Glimåkra

SUSTAINABILITY

Ribbon-Design only uses high-pressure laminate according to the European standard EN438. The product meets Möbelfakta's requirements for the environment and responsible supply chains.

PRESCRIPTION TEXT

Ribbon-Design, Alicante black RecoSilent, 2400x600mm

FIRE PROPERTIES

Standard range:

Acoustic Felt	RecoSilent	B-s1,d0
Design ribs		D-s2,d0

FR (FR = Fireclass)

Acoustic Felt	RecoSilent	B-s1,d0
Design ribs		B-s2,d0




Prescription text at FR: Ribbon-Design, Article name + FR

Ex. Wallsystem, Alicante Recosilent Black, 2400x600mm, FR

CERTIFICATE

Acoustics SS-EN ISO 354: 2003 evaluated according to SS-EN ISO 11654: 1997. Test report no. 21-755-R1. Date: 2021-12-09 (Acoustics workshop, laboratory accredited by Swedack)

Mounting directly to wall	Report 21-755-M1	w 0.35 (MH) Absorption class D
Mounting with 45mm air gap	Report 21-755-M2	w 0.6 (MH) Absorption class C
Mounting with 45mm mineral wool	Report 21-755-M3	w 1.0 Absorption class A




Equivalent absorption area per m² screen area (m²S / m²)


Ribbon-Design

MEASURE


2400 x 600 x 21mm (Construction dimensions)




Weight 11kg
Area 1,44m²



Default panel



Cut felt with end strip




End strip with splicing strip


OUR STANDARD RANGE




Corten,
RecoSilent black




Black Slate,
RecoSilent black




Alicante,
RecoSilent black




Zement,
RecoSilent black




Zement,
RecoSilent grey



Saturno,
RecoSilent grey



Saturno,
RecoSilent black



Closing lists



Joint strip

Ribbon-Design

