

RecoSilent Acoustic Wall Panel



RecoSilent Acoustic Wall Panel

The RecoSilent acoustic wall panel is designed for indoor environments where good acoustics and an appealing aesthetic go hand in hand. The material is our RecoSilent 9 mm acoustic felt, which is made from more than 50% recycled PET bottles. The panel is ideal for environments requiring sound absorption, such as offices, schools, restaurants, and public spaces where room design also plays an important role. With 16 felt colors and 11 patterns, we offer great flexibility to create a solution fully tailored to your space or project. **We can also create a unique pattern for a project through collaboration with an architect, designer, or customer. In that case, you'll work together with our product developer and sales representative.**

RECO SILENT ACOUSTIC WALL PANEL

RecoSilent Acoustic Wall Panels are part of the Wallsystems by Glimakra of Sweden product portfolio. We are a Swedish company driven by values such as Scandinavian acoustic design, greater flexibility, and higher quality. Based on these principles, we create optimal acoustic environments for a variety of settings. With extensive expertise and years of experience, we develop and manufacture products in our own factories in Vittaryd. We are Sweden's leading manufacturer of wood veneer, and through ongoing collaboration with several prominent designers, we are always at the forefront of acoustic design.

INFORMATION

Surface layer	Acoustic Felt
Acoustic felt	RecoSilent, made from over 50% recycled PET-bottles.
Thickness	9mm
Sizes	2400x600 mm eller 2960x600 mm. Sold in packs of two. Can be cut to size vertically for an additional fee
Installation	Easily glued (0.5/panel) in place.
Manufacturer	Vittaryd

SUSTAINABILITY

The products meet environmental standards and requirements for responsible supply chains. RecoSilent products contain over 50% recycled PET bottles.

PRESCRIPTION TEXT

RecoSilent Acoustic Wall Panel, ZickZack (pattern name), Tropical Blue (felt color) 2400/2960x600 mm, WallRibbon.




FIRE PROPERTIES

Akustikfilt RecoSilent B-s1,d0

CARE INSTRUCTIONS

To keep your RecoSilent Acoustic Wall Panel in good condition, simple maintenance is all that's needed. Gently vacuum the panel to remove dust, or use a lint roller. If there are stains, gently wipe the area with a damp cloth using a mild dish soap diluted with water. Dry the surface with a clean cloth and let the panel dry completely.


DEMEENSIONS



RecoSilent Acoustic Wall Panel

CHOOSE WHICH COLOR TO PAIR WITH WHICH DESIGN


FELT COLORS




Soft White




Pearl




Irish Cream




Sandstone




Silver



Anthracite



Tropical Blue




Dusty Jade




Just Rose




Pale Gold




Terracotta



Choco




Grenadine



Hunter Green



Marine Blue




Black

COLORS AVAILABLE IN 24 MM THICKNESS



Pearl



Silver



Anthracite

RECO SILENT PLAIN



COLORS

RecoSilent Plain is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT ZICKZACK



RecoSilent ZickZack Silver

COLORS

RecoSilent ZickZack is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT CHEVRON



COLORS

RecoSilent Chevron is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT SILENCE DOME



RecoSilent Silence Dome Irish Cream

COLORS

RecoSilent Silence Dome is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT LONGITUDE 60



COLORS

RecoSilent Longitude 60 is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT ARCH



RecoSilent Arch Pearl

COLORS

RecoSilent Arch is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RecoSilent Acoustic Wall Panel

RECO SILENT LONGITUDE 120



COLORS

RecoSilent Longitude 120 is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RecoSilent Acoustic Wall Panel

RECO SILENT ECHO ELLIPSE



RecoSilent Echo Ellipse Sandstone

COLORS

RecoSilent Echo Ellipse is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT LATITUDE



RecoSilent Latitude Sandstone

COLORS

RecoSilent Latitude is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT GRASS



COLORS

RecoSilent Grass is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RECO SILENT DECIBEL SQAURE



RecoSilent Decibel Square Anthracite

COLORS

RecoSilent Decibel Square is available in 16 colors. See p.3

PANEL DIMENSIONER

2400x600 mm, 2960x600mm. Sold in pairs.

PANEL THICKNESS

Standard 9mm. 24mm thickness available in 3 colors. See p.3.

RecoSilent Acoustic Wall Panel

