

Wall Absorber RecoVibe9



Wall Absorber RecoVibe9

The RecoVibe9 wall absorber combines effective sound absorption with a well-thought-out design to create comfortable and inspiring environments. RecoSilent wall absorbers are made from recycled PET bottles. The wall absorber is suitable for most environments where both design and acoustic comfort play a crucial role—from offices, schools, and public spaces to restaurants and hotels. Our wide and unique range gives you complete freedom to create a solution tailored to your specific project. Choose from several patterns and combine them with the felt color that best complements the room's character. **We can also create a unique design for a project through collaboration with an architect, designer, or end customer. In that case, you'll work closely with our product developer and sales representative.**

WALL ABSORBER RECOVIBE9

The RecoVibe9 wall absorber is part of the Wallsystems by Glimakra of Sweden product portfolio. We are a Swedish company driven by values such as Scandinavian acoustic design, greater flexibility, and higher quality. Based on these principles, we create optimal acoustic environments for a variety of settings. With extensive expertise and years of experience, we develop and manufacture products in our own factories in Vittaryd. We are Sweden's leading manufacturer of wood veneer, and through ongoing collaboration with several prominent designers, we are always at the forefront of acoustic design.

INFORMATION

Surface layer	Acoustic Felt, RecoSilent
Acoustic Felt	RecoSilent, made from over 50% recycled PET-bottles.
Thickness	9 mm
Sizes	600x600 mm
Installation	Limmas (0,2/panel) enkelt på plats.
Manufacturer	Vittaryd

SUSTAINABILITY

Products meet environmental standards and requirements for responsible supply chains. RecoSilent products contain over 50% recycled PET bottles.

PRESCRIPTION TEXT

RecoVibe9 wall absorber, Trace (pattern name), Tropical Blue (felt color) 600x600mm, Wallsystems.




FIRE PROPERTIES

Acoustic Felt RecoSilent B-s1,d0

CARE INSTRUCTIONS

To keep the RecoVibe9 wall absorber in good condition, simple care is all that is needed. Gently vacuum the panel to remove dust, or use a lint roller. For stains, gently wipe with a damp cloth using mild dish soap diluted with water. Wipe the surface dry with a clean cloth and allow the panel to dry completely.

DIMENSIONS



Wall Absorber RecoVibe9

CHOOSE WHICH COLOR GOES WITH WHICH DESIGN

FELT COLORS




Soft White




Pearl



Irish Cream




Sandstone




Silver



Anthracite



Tropical Blue




Dusty Jade




Just Rose




Pale Gold




Terracotta



Choco




Grenadine



Hunter Green



Marine Blue



Black

Wall Absorber RecoVibe9

STANDARD RANGE



Plain



Arch



Flow



Grass



Grid



Longitude



Sweep



Trace

ACCESSORIES



Assembly adhesive



Ruler

Wall Absorber RecoVibe9



Wall Absorber RecoVibe9

